

# Mobile Maintenance Solutions

---

# Who We Are

**SafeSmart** is a multinational provider of innovative, specialist, and custom access equipment serving Canada, Australia, USA, UK, Europe, South America, and New Zealand.

SafeSmart Canada products have been independently certified by Canadian engineers.

Product suite includes modular work platforms, designed to be relocatable, efficient, and customizable.

All built in CWB Certified facilities.



# Warthog Platform Ladder

- 10-year manufacturer warranty
- Fully welded box-section aluminum frame
- Won't twist like standard platform ladders
- Large, comfortable platform & handrails for long duration work
- Folds flat for storage & transport

| Size (Deck Height) | Steps   |
|--------------------|---------|
| 0.6m               | 2 Step  |
| 0.9m               | 3 Step  |
| 1.2m               | 4 Step  |
| 1.5m               | 5 Step  |
| 1.8m               | 6 Step  |
| 2.1m               | 7 Step  |
| 2.4m               | 8 Step  |
| 2.7m               | 9 Step  |
| 3.0m               | 10 Step |



# Branach Platform Ladder

- Sturdy & durable
- Lightweight & easy to move
- Single action setup
- Ergonomic, non-restrictive 450mm wide, hinged platform
- Non-slip aluminum platform with optional backrail for 360° protection
- Fibreglass option available - suitable for electrical work

| Size (Deck Height) | Steps  |
|--------------------|--------|
| 0.6m               | 2 Step |
| 0.9m               | 3 Step |
| 1.2m               | 4 Step |
| 1.5m               | 5 Step |
| 1.8m               | 6 Step |
| 2.1m               | 7 Step |
| 2.4m               | 8 Step |



# Cantilever Work Platform

- Essential tool for all machinery service workshops; provides access right up against work areas without reaching out from the platform
- Built tough with 82 x 50 mm marine-grade aluminum RHS - no C channel! **225kg WLL**
- Available with edge protection wings and batwing gates

| Platform Height | Platform Size | Steps |
|-----------------|---------------|-------|
| 565mm           | 800 x 1800mm  | 2     |
| 850mm           | 800 x 1800mm  | 3     |
| 1150mm          | 800 x 1800mm  | 4     |
| 1400mm          | 800 x 1800mm  | 5     |
| 1700mm          | 800 x 1800mm  | 6     |
| 1970mm          | 1000 x 2000mm | 7     |
| 2250mm          | 1000 x 2000mm | 8     |
| 2540mm          | 1000 x 2000mm | 9     |
| 2828mm          | 1000 x 2000mm | 10    |
| 3100mm          | 1000 x 2000mm | 11    |
| 3300mm          | 1000 x 2000mm | 12    |
| 3600mm          | 1000 x 2000mm | 13    |
| 3950mm          | 1000 x 2000mm | 14    |



# EasyRaise



- Height-adjustable platform with manual winch
- Compact and mobile for easy deployment
- Cantilever length increases as the platform raises
- 225kg WLL

| Platform Height | Platform Size |
|-----------------|---------------|
| 1.2 - 2.4m      | 1000 x 1000mm |
| 1.4 - 2.8m      | 1000 x 1000mm |
| 1.7 - 3.4m      | 1000 x 1000mm |
| 2.0 - 4.0m      | 1000 x 1000mm |

\*Other sizes available, please enquire!



# EasyRaise




# UltraRaise

- Massive height adjustment range with manual winch
- Compact & mobile for easy deployment and use around tight workshops
- 700mm clear cantilever at all heights
- 3 access directions off the platform
- Loop guardrail attachment can be placed in all 3 directions off the platform
- Bridging attachment available to connect between units
- Bridging components no heavier than 17kg for easy install and dismantle
- Bubble levels at each jack location to assist with levelling
- Guardrail support leg adjusts in 25mm increments



# Chassis Rail Edge Protection

- Fits all trucks but most common:
  - 789
  - 793
  - 797
  - 830
  - 930
  - 980



# Super Service Stand

- Large, secure work area with self-draining platform surface providing slip resistance in all conditions
- Wide stair treads for comfort and safety
- 60° step angle of access
- Guardrails are quick-release and can be added or removed in seconds
- Dual batwing gates for full surround protection
- 225kg WLL

| Platform Height | Platform Size | Steps |
|-----------------|---------------|-------|
| 565mm           | 800 x 1800mm  | 2     |
| 850mm           | 800 x 1800mm  | 3     |
| 1150mm          | 800 x 1800mm  | 4     |
| 1400mm          | 800 x 1800mm  | 5     |
| 1700mm          | 800 x 1800mm  | 6     |



# Super Maintenance Platform (SMP)

- 2 - 14 step versions
- 45° and 70° stair versions
- Mobile or fixed options available
- 225kg WLL

| Platform Height | Platform Size | Steps |
|-----------------|---------------|-------|
| 565mm           | 800 x 800mm   | 2     |
| 850mm           | 800 x 800mm   | 3     |
| 1130mm          | 800 x 800mm   | 4     |
| 1400mm          | 800 x 800mm   | 5     |
| 1700mm          | 800 x 800mm   | 6     |
| 1970mm          | 1000 x 1000mm | 7     |
| 2250mm          | 1000 x 1000mm | 8     |
| 2540mm          | 1000 x 1000mm | 9     |
| 2828mm          | 1000 x 1000mm | 10    |
| 3100mm          | 1000 x 1000mm | 11    |
| 3300mm          | 1000 x 1000mm | 12    |
| 3600mm          | 1000 x 1000mm | 13    |
| 3950mm          | 1000 x 1000mm | 14    |





# Dozer Platform


- Designs available for the following models:
  - D8/D9
  - D9/D10
  - D11
  - D375A-8
  - D475A-8



# Dozer Platform



# Haul Truck Access



# Haul Truck Access



# Custom Access Platforms



# Thank You

**Robb Cavenagh**

National Account Manager

306-485-3011

[Robb.cavenagh@safesmartaccess.ca](mailto:Robb.cavenagh@safesmartaccess.ca)