

Plant Maintenance Solutions

Who We Are

SafeSmart is a multinational provider of innovative, specialist, and custom access equipment serving Canada, Australia, USA, UK, Europe, South America, and New Zealand.

SafeSmart Canada products have been independently certified by Canadian engineers.

Product suite includes modular work platforms, designed to be relocatable, efficient, and customizable.

All built in CWB Certified facilities.



Plant Maintenance

Typical Applications

Valves & Instrumentation

Repeatable, reliable, secure RTU access at height.

Entryways & Pipe Racks

Create entryways, crossings, and pipe racks wherever needed.

Pedestrian Walkways

Establish continuous, compliant, efficient routes across the plant.

Scaffold Replacement

Skip the scaffolding with streamlined, compliant mobile aluminum platforms

Plant Maintenance Typical Applications



Super Maintenance Platform (SMP)

- 2 - 14 step versions
- 45° and 70° stair versions
- Mobile or fixed options available
- 225kg WLL

Platform Height	Platform Size	Steps
565mm	800 x 800mm	2
850mm	800 x 800mm	3
1130mm	800 x 800mm	4
1400mm	800 x 800mm	5
1700mm	800 x 800mm	6
1970mm	1000 x 1000mm	7
2250mm	1000 x 1000mm	8
2540mm	1000 x 1000mm	9
2828mm	1000 x 1000mm	10
3100mm	1000 x 1000mm	11
3300mm	1000 x 1000mm	12
3600mm	1000 x 1000mm	13
3950mm	1000 x 1000mm	14



Cantilever Platform

- Essential tool for machinery service workshops - mobile & fixed options available
- Access right up against the work area without reaching out from the platform
- Built tough: 82 x 50mm marine-grade aluminum RHS, no c channel
- 225kg WLL

Platform Height	Platform Size	Steps
565mm	800 x 1800mm	2
850mm	800 x 1800mm	3
1150mm	800 x 1800mm	4
1400mm	800 x 1800mm	5
1700mm	800 x 1800mm	6
1970mm	1000 x 2000mm	7
2250mm	1000 x 2000mm	8
2540mm	1000 x 2000mm	9
2828mm	1000 x 2000mm	10
3100mm	1000 x 2000mm	11
3300mm	1000 x 2000mm	12
3600mm	1000 x 2000mm	13
3950mm	1000 x 2000mm	14




EasyRaise

- Height-adjustable platform with manual winch
- Compact and mobile for easy deployment
- Cantilever length increases as the platform raises
- 225kg WLL

Platform Height	Platform Size
1.2 - 2.4m	1000 x 1000mm
1.4 - 2.8m	1000 x 1000mm
1.7 - 3.4m	1000 x 1000mm
2.0 - 4.0m	1000 x 1000mm

*Other sizes available, please enquire!



Branach




- Sturdy and durable, lightweight and easy to move
- Single-action setup
- Ergonomic, non-restrictive 450mm wide platform
- Non-slip hinged aluminum platform, optional backrail
- Fibreglass construction isolates workers from the ground

Type	Deck Height
2 Step	0,6m
3 Step	0.9m
4 Step	1.2m
5 Step	1.5m
6 Step	1.8m
7 Step	2.1m
8 Step	2.4m



AdjustaStairs

- Portable, self-leveling, adjustable stairs
- Safe access for slopes, embankments, buildings, skids, berms and excavations - including landings
- Temporary and permanent solutions available




Entry Stairs

- RTU entry stairs
- Self-leveling steps cope with ground setting
- Universal stairs and platform configuration



Stepovers

- Aluminum stepovers (stiles)
- 2 - 10 step, up to 2.4m clearance
- 1.0, 1.5, 2.0 and 3.0m length x 0.9m platform




Stepovers

- Fixed - large stepover platform
- 1.2m wide
- 3m 4m and 6m long walkway sections



AdaptaStep

Modular, bolt-together access adapted to the specific needs of your facility.



AdaptaSpan Modular Walkway

- 1.2m wide, 1m and 3m modular sections
- Joinable for continuous walkway system up to 21m long
- Height-adjustable foot option



Z-Stack - Modular Stair Tower



Thank You

Robb Cavenagh

National Account Manager

306-485-3011

Robb.cavenagh@safesmartaccess.ca